

OFFICIAL ACKNOWLEDGEMENTS:

"Notified Body" no. 0407 for the following
European Directives:

- European Directive 94/25/EC concerning recreational crafts.
- European Directive 98/37/EC relating to machinery.
- European Directive 88/378/EEC concerning the safety of toys.
- European Directive 90/396/EEC relating to appliances burning gaseous fuel.
- European Directive 87/404/EEC relating to simple pressure vessels.
- European Directive 97/23/EC concerning pressure equipment.
- European Directive 99/36/EC on transportable pressure equipment.
- European Directive 89/106/EEC relating to construction products.
- European Directive 2000/14/EC on acoustics emission in the environment for machinery and equipment.
- European Directives 98/96/EC and 98/85/EC on the evaluation of maritime equipment.
- European Directives 95/16/EC relating to lifts.

MEMBERSHIP OF INTERNATIONAL SOCIETIES:

- ALPI - Association of Independent Test Laboratories.
- ASHRAE - American Society of Heating, Refrigerating and Air Conditioning Engineers Inc.
- ASTM - American Society for Testing and Materials.
- EARMA - Research Association for Managers and Administrators.
- EARTO - European Association of Research and Technology Organisations.
- EGOLF - European Group of Official Laboratories for Fire Testing.
- ICIM (Mechanics Institute of Industrial Certification): Testing of product certification schemes and releases the "ICIM Mark".
- IFT (Institut für FensterTechnik e.V.): Laboratory testing, and surveillance at company on product certification procedures for the release of the "IFT-IG" Quality Mark on burglar-resistance doors.
- ILAC - International Laboratory Accreditation Cooperation.
- IMQ (Institute of Quality Marking): Testing of certification schemes for the end product and releases the "IMQ-CIG Quality Mark" on flues.
- KEYMARK for thermal insulation (www.keymark.org): Authorisation dated 05/07/02 conceded by SDG5 for measurement of thermal conductivity within voluntary product certification programme CEN KEYMARK for insulation materials.

CERTIFICATE OF CONFORMITY

ATTESTATO DI CONFORMITÀ

No. 34730/1077/C

Contract No. CHIG0610708

This is to declare that the technical file of the products identified below complies with the essential requirements of the following standards, according to European Directives 98/37/EC (MD), 2006/95/EC (LVD) and following amendments.

Il presente documento attesta che il fascicolo tecnico dei prodotti identificati di seguito è in conformità con i requisiti essenziali delle norme sottoindicate, in accordo alle Direttive Europee 98/37/CE, 2006/95/CE e successivi emendamenti.

Description/Descrizione:

BLOW MOULDING MACHINE

Models/Modelli:

SM-PBS-305S/D/T, SM-PBS-405S/D/T, SM-PBS-505S/D/Q, SM-PBS-605D, SM-PBS-705Q, SM-PBS-905S/D/Q/O, SM-PBSS-505Q, SM-PBSS-605S/D, SM-PBSS-705S/D/Q, SM-PBSS-905S/D/Q, SM-PBSS-1005S/D/O/Q-TL-VS

Standards/Norme:

EN 422:1995, EN 1050:1996, EN 60204-1:2006

Applicant/Richiedente:

DONG GUAN SHENG MEI PLASTIC MACHINERY LTD.

Address/Indirizzo:

**Shu Xin Admin Area, Chang Ping Town, Dongguan City,
Guangdong Province,
P. R. China**

According to the procedures established by European Directives 98/37/EC (MD), 2006/95/EC (LVD) and following amendments, the Applicant can proceed with the CE marking of the above mentioned products signing the declaration of conformity and affixing the following symbol
In base alle procedure stabilite dalle Direttive Europee 98/37/CE, 2006/95/CE e successivi emendamenti, il richiedente può procedere alla marcatura CE dei prodotti citati firmando la dichiarazione di conformità ed apponendo il seguente simbolo



Place and date of issue
Luogo e data di emissione
Bellaria-Igea Marina, Italy
8 April 2008



Chief Executive Officer
L'Amministratore Delegato
Villiam Giorgetti



Products/Prodotti: BLOW MOULDING MACHINE

Technical specifications/Caratteristiche tecniche:

Models		SM-PBS-305S/D/T	SM-PBS-405S/D/T	SM-PBS-505S/D/T	SM-PBS-605D
Screw diameter	[mm]	Ø40	Ø45	Ø55	Ø65
Screw motor	[kW] ([hp])	5,59 (7,50)	7,46 (10)	11,18 (15)	14,91 (20)
Extruding capacity	[kg/h]	18	24	40	58
Mold center distance	[mm]	75 ~ 85	100	120	140
Open/close mould daylight	[mm]	60 ~ 230	60~320	80 ~ 420	140 ~ 640
Power supply		380 V / 50 Hz	380 V / 50 Hz	380 V / 50 Hz	380 V / 50 Hz
Total power	[kW/h]	16,6	22	24	37
Mass of machine	[kg] ([t])	3000 (3)	3150 ~ 3600 (3.15 ~ 3.6)	3800 ~ 3900 (3.8 ~ 3.9)	5500 (5.5)
Size of machine (L x W x H)	[m]	2,2 x 1,5 x 2,1	2,3 x 1,9 x 2,3	2,7 x 1,9 x 2,4	3,6 x 2,2 x 2,3

Models		SM-PBS-705Q	SM-PBS-905S/D/Q/O	SM-PBSS-505Q	SM-PBSS-605S/D
Screw diameter	[mm]	Ø75	Ø90	Ø55	Ø65
Screw motor	[kW] ([hp])	22,37 (30)	37,28 (50)	11,18 (15)	14,91 (20)
Extruding capacity	[kg/h]	90	130	40	58
Mold center distance	[mm]	100	85 ~ 200	75	0 ~ 140
Open/close mould daylight	[mm]	80 ~ 420	240 ~ 640	80 ~ 420	80 ~ 420
Power supply		380 V / 50 Hz	380 V / 50 Hz	380 V / 50 Hz	380 V / 50 Hz
Total power	[kW/h]	60	90	56,5	57
Mass of machine	[kg] ([t])	6600 (6,6)	8500 ~ 8900 (8,5 ~ 8,9)	7500 (7,5)	10000 ~ 10300 (10 ~ 10,3)
Size of machine (L x W x H)	[m]	4 x 2,5 x 3	2,7 x 1,9 x 2,8	3,6 x 4,2 x 2,8	23,5 x 4,2 x 2,8

CLAUSES/CLAUSOLE


Any modifications made to the models without Istituto Giordano approval could invalidate the certificate. This document refers only to the above Directives and following amendments. For the purpose of the CE marking, the products might have to comply with other applicable European Directives. This document is issued on the basis of a voluntary request.

Qualsiasi modifica apportata ai modelli senza approvazione dell'Istituto Giordano potrebbe invalidare l'attestato. Questo documento si riferisce unicamente alle Direttive citate e successivi emendamenti. Altre Direttive Europee potrebbero essere applicabili per la marcatura CE. Il presente documento è emesso su base volontaria.

Place and date of issue
Luogo e data di emissione
Bellaria-Igea Marina, Italy
8 April 2008



Chief Executive Officer
L'Amministratore Delegato
Villiam Giorgetti





Products/Prodotti: BLOW MOULDING MACHINE

Technical specifications/Caratteristiche tecniche:

Models		SM-PBSS-705S/D/Q	SM-PBSS-905S/D/Q	SM-PBSS-1005S/D/O/Q-TL-VS
Screw diameter	[mm]	Ø75	Ø90	Ø100/65/40
Screw motor	[kW] ([hp])	22,37 (30)	37,28 (50)	55,93 (75)
Extruding capacity	[kg/h]	90	130	160
Mold center distance	[mm]	100 ~ 140	115 ~ 200	85 ~ 270
Open/close mould daylight	[mm]	240 ~ 640	240 ~ 640	240 ~ 640
Power supply		380 V / 50 Hz	380 V / 50 Hz	380 V / 50 Hz
Total power	[kW/h]	99	115	169~175
Mass of machine	[kg] ([t])	16000 ~ 17000 (16 ~ 17)	24000 ~ 26000 (24 ~ 26)	32500 ~ 33000 (32,5 ~ 33)
Size of machine (L x W x H)	[m]	4,8 x 4,6 x 3,0	5,0 x 3,3 x 2,5	5,9 x 6,6 x 3,7

CLAUSES/CLAUSOLE

Any modifications made to the models without Istituto Giordano approval could invalidate the certificate. This document refers only to the above Directives and following amendments. For the purpose of the CE marking, the products might have to comply with other applicable European Directives. This document is issued on the basis of a voluntary request.

Qualsiasi modifica apportata ai modelli senza approvazione dell'Istituto Giordano potrebbe invalidare l'attestato. Questo documento si riferisce unicamente alle Direttive citate e successivi emendamenti. Altre Direttive Europee potrebbero essere applicabili per la marcatura CE. Il presente documento è emesso su base volontaria.

Place and date of issue
Luogo e data di emissione
Bellaria-Igea Marina, Italy
8 April 2008



Chief Executive Officer
L'Amministratore Delegato
Villiam Giorgetti

